

9000151

## HEE UNIHED SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

### Asgrow Seed Company

Tothereas, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF elahteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (34 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A7258'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washinoton, D.C. this 31st day of January in the year of our Lord one thousand nine hundred and ninety-two.

Allost:

Kennett Herans

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Reportant of Aspriculture g

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #5081-0055), Washington, 20250.

3 Service and Artifact Court #0361-00.		FORM APPROVED	UMB 0381-	0055, Expires 1/31/91
U.S. DEPARTMENT OF A AGRICULTURAL MARKE  APPLICATION FOR PLANT VARIET	TING SERVICE	I CERTIFICATE	determi certifica	ation is required in order to ne if a plant variety protection ate is to be issued (7 U.S.C. 2421). ation is held confidential until
(Instructions on	reverse)			te is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		<ol><li>TEMPORARY DESIGNATION OR EXPERIMENTAL NO.</li></ol>	3. VAR	IETY NAME
ASGROW SEED COMPANY	XP7258	A7258		
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (include area code)	FC	OR OFFICIAL USE ONLY
9652-190-18		·	PVPO N	
KALAMAZOO, MI 49001		616-384-2353		9000151
			F	Date
				lpul 17, 1990
	7. FAMILY NAME (Botanio		N .	Time
Glycine max 8. CROP KIND NAME (Common Name)	Legumin		G F I	A.M. P.M.
Soybean		PATE OF DETERMINATION		2150.00
	1	ovember, 1986	1 0 1	Pate 0 490
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGAN Corporation	NIZATION (Corporation, part	nership, association, etc.)	R	Apr. 9,1990 Certicate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION			1 4 1	250.00
Delaware	12. DA	TE OF INCORPORATION	1 / 1-	Date
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	OFFICE IN THE ACCUSATION		0	Dec. 27, 1991
ASGROW Seed Company. Kalamaz  Kalamazoo MT 49001  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Folice  a. X Exhibit A, Origin and Breeding History of the Variety.  b. X Exhibit B, Novelty Statement.  c. X Exhibit C, Objective Description of Variety.  d. X Exhibit D, Additional Description of Variety.  e. X Exhibit E, Statement of the Basis of Applicant's Ownership Seed Sample (2,500 viable untreated seeds). Date Seed Seed Seed Seed Seed Seed Seed Se	p. Sample mailed to Plant V reasurer of the United Sta	PHONE (Include area code)  ariety Protection Office tes."		6-385-6649 6-384-2353-
YES (If "YES," answer items 16 and 17 beld	ow) 🛂 NO (II "NO	)," skip to item 18 below)		,
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS T NUMBER OF GENERATIONS?	O 17. IF "YES" TO	ITEM 16, WHICH CLASSES OF PRODU	CTION BEY	OND BREEDER SEED?
YES X NO	Foui	IDATION REGIST	ERED	CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VAR  YES (If "YES," through Plant Variety Protection Act  NO  19. RAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MA  YES (II "YES," give names of countries and dates)	Patent Act. Give date		<b>U</b>	
Kr. 🗆 👊				
20. The applicant(s) declare(s) that a viable sample of basic see request in accordance with such regulations as may be applicant(s) is (are) the owner(s) of this s uniform, and stable as required in section 41, and is entitled Applicant(s) is (are) informed that false representation here.	cable. sexually reproduced n to protection under th	ovel plant variety, and believe provisions of section 42 of the I	(s) that i	he variety is distinct
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TI	TLE	DATE	,
Studen	CadDen	Dish - mande	2	3/27/90
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TI	PRODUCT MANAGER	DATE	1-710

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

# EXHIBIT A ORIGIN AND BREEDING HISTORY

SUMMER 1979 Original cross made at Caruthersville, MO
Cross number was M79843
Parentage = R74-1625 \* Co77-188
R74-1625 = York \* Davis
Co77-188 = Hampton 266 \* Bragg

Winter 1979-80 F1 plants grown in Belize, Central America in lighted hills.

Summer 1980 F2 advanced to F3 by modified single seed descent at Marion, AR.

Winter 1980-81 F3 advanced to F4 by modified single seed descent in Belize, Central America.

Summer 1981 F4 bulk population of M79843 grown at Marion, Ar with 200 single plants selected.

Summer 1982 F5 progeny rows of M79843 were grown at Marion, Ar. Row M82-07458 was selected and composited.

Summer 1983 M82-07458 was yield tested at two locations, two replications each. Screened to race 4 of soybean cyst nematode and found to be susceptible. Tested as entry 39 in the P654 test.

Summer 1984 Yield tested at 8 locations as entry 10 in test S642.

Summer 1985 Yield tested at 7 locations in the Mid-South and North Carolina as entry 9 in test V650. Forty-eight F8 plants selected from V650-9 to begin breeder seed purification.

Summer 1986 Yield tested at 10 locations as entry 14 in the V650 test. The 40 single plants were grown in 9 ft. rows with 14 selected for uniformity of maturity, height and white flowers. Entry 14 named XP7258.

Winter 1986-87 Six pounds of XP7258 increased to 60 lbs. in Puerto Rico.

Summer 1987 Yield tested as entry 20 in V750 at 8 locations.

Breeder Seed increased at Marion, AR from the Puerto Rico increase and 600 lbs. of XP7258 produced.

Summer 1988 XP7258 yield tested as entry 4 in V750 test at 7 locations. Breeder seed increased at Matthews, MO to 200 units of basic I seed.

9000151

J W B S

#### Exhibit A (Continued)

XP7258 was nominated for release and full production and assigned the designation A7258.

Summer 1989

A7258 yield tested as entry 1 in V750 test at four locations.

Foundation seed of A7258 was produced via Mathews, Missouri production plant.

A7258 is uniform and stable within commercially acceptable limits based on trial observations since pure rows were bulked in November 1986. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

D:\AKW\SCHLEGAL.N25

#### EXHIBIT B NOVELTY STATEMENT

To our knowledge, A7258 most nearly resembles Braxton, Tracy, P9691, and P9791. Differences include, but are not necessarily restricted to the following:

A7258 has grey pubescence and buff hila compared to P9691 and Tracy which have tawny pubescence and black hila. A7258 matures later (maturity Group VII) than P9691 and Tracy (maturity Group VI).

A7258 has white flowers, grey pubescence, and is susceptible to common root knot nematode (Meloidogyne incognita) whereas Braxton has purple flowers, tawny pubescence, and has resistance to common root knot nemetode.

A7258 averages 5 days earlier in maturity and 20 cm taller than P9791. The seed coat peroxidase activity of A7258 is low while seed coat peroxidase activity of P9791 is high.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

9000151

## OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF ARRUPANTO	TEMPORARY DESIGNATION	VARIETY NAME
NAME OF APPLICANT(S)		
ASGROW SEED COMPANY	XP7258	A7258
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	FOR OFFICIAL USE ONLY PVPO NUMBER	
9638-190-23 Kalamazoo, MI 49001 616-3	84-2353	
Choose the appropriate response which characterizes the varing your answer is fewer than the number of boxes provided,	iety in the features described l place a zero in the first box w	below. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:  2		{L/W ratio > 1.2; L/T ratio = < 1.2} (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 5 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
1 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	1
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:	· · · · · · · · · · · · · · · · · · ·	
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	n bronze band below cotyledons (' 'Coker Hampton 266A')	'Woodworth'; 'Tracy')
10. LEAFLET SHAPE:	!	
1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
		5

II. EEAI	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	<del>.</del>
3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	·
13. FLOV	ER COLOR:	7
1	1 = White 2 = Purple 3 = White with purple throat	
14. POD (	OLOR:	_
2	1 = Tan 2 = Brown 3 = Black	;
15. PLAN	T PUBESCENCE COLOR:	<b>-</b> .
1	1 = Gray 2 = Brown (Tawny)	
16. PLAN	TYPES:	₹ 
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	HABIT:	-
1	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
لحبيا	5 - Indeterminate ( Nepsoy ; Improved Pelican )	
18. MATU		_
18. MATU	3 - Indeterminate ( Nebsoy ; Improved Pelican )  RITY GROUP:  1 = 000	
1 0	RITY GROUP: 1 = 000	
1 0 19. DISEA	RITY GROUP:  1 = 000	
1 0 19. DISEA	RITY GROUP:  1 = 000	
1 0 19. DISEA	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT  2  0	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT 2 0	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT 2 0	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT 2 0 0 FUNGA	I = 000	
1 0  19. DISEA  BACT 2 0 0 FUNGA	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT  2  0  FUNGA	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT  2  0  FUNGA  0	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT  2  0  FUNGA  0	RITY GROUP:  1 = 000	
1 0  19. DISEA  BACT  2  0  FUNGA  0	RITY GROUP:  1 = 000  2 = 00  3 = 0  4 = I  5 = II  6 = III  7 = IV  8 = V  9 = VI  10 = VII  11 = VIII  12 = IX  13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  L DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1  Race 2  Race 3  Race 4  Race 5  Other (Spotiator RECEIVED USDA AMS  Output Mildew (Peronospora trifoliorum var. manshurica)	

FORM LMGS-470-57 (2-82)

Page 2 of 4

9000151

19. DISEA	SE REACTION	: (Enter 0 = Not Tested; 1 =	Susceptible; 2 =	Resistant) (Continued)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
FUN	IGAL DISEASE	S: (Continued)							
	Pod and Sten	n Blight <i>(Diaporthe phaseoloru</i>	ım var; sojae)						
	Purple Seed Stain (Cercospora kikuchii)								
0	Rhizoctonia Root Rot (Rhizoctonia solani)								
· .	Phytophthora	Rot (Phytophthora megasper	ma var. sojae)						
2	Race 1 2 Race 2 2 Race 3 2 Race 4 2 Race 5 0 Race 6 1 Race 7								
1	Race 8	2 Race 9 Or	her <i>(Specify)</i>						
VIR	AL DISEASES:								
0	Bud Blight (T	obacco Ringspot Virus)	·						
0	Yellow Mosai	c (Bean Yellow Mosaic Virus)							
[0]	Cowpea Mosa	ic (Cowpea Chlorotic Virus)							
0	Pod Mottle (E	Bean Pod Mottle Virus)							
	Seed Mottle (	Soybean Mosaic Virus)							
NEM	ATODE DISEA	SES:							
•	Soybean Cyst	Nematode (Heterodera glycin	es)	1					
0	Race 1	<u> </u>	ce 3	Race 4 Other (S	Specify)				
0	Lance Nemato	ode (Hoplolaimus Colombus)	<del></del>						
[1]	Southern Roo	t Knot Nematode (Meloidogy	ne incognita)						
	Northern Roo	t Knot Nematode (Meloidogy	ne Hapla)						
	Peanut Root F	Knot Nematode (Meloidogyne	arenaria)		· ·				
	Reniform Nen	natode ( <i>Rotylenchulus renifo</i> i	mis)						
		ASE NOT ON FORM (Specify	Aori	al Blight (Rhiz	octonia solani)				
20. PHYSIC	DLOGICAL RES	SPONSES: (Enter 0 = Not Te	sted; 1 = Suscept	ible; 2 = Resistant)					
0	Iron Chlorosis	on Calcareous Soil							
	Other (Specify	·/		· .	<del></del>				
21. INSECT	REACTION:	(Enter 0 = Not Tested; 1 = Su	sceptible; 2 = Re	sistant)					
0	Mexican Bean	Beetle (Epilachna varivestis)	•						
0	Potato Leaf H	opper <i>(Empoasca fabae)</i>							
	Other (Specify	J		·					
22. INDICA	TE WHICH VA	RIETY MOST CLOSELY RE	SEMBLES THA	T SUBMITTED.					
CHAF	RACTER	NAME OF VAR	ETY	CHARACTER	NAME OF VARIETY				
Plant Sha	Plant Shape Braxton		Seed Coat Luster	Braxton					
Leaf Sha	pe	Braxton	,	Seed Size	Braxton				
Leaf Col	or	Tracy		Seed Shape	Braxton				
Leaf Size	)	P9691		Seedling Pigmentation	P9791				
					•				

FORM LMGS-470-57 (2-82)


Page 3 of 4

#### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LO	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	160	2.8	109	7.09	11.10	43.2	21.6	15.4	
Name of Similar Variety	163	2.5	102	6.05	9.84	44.4	20.4	16.2	

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



# EXHIBIT D ADDITIONAL DESCRIPTION OF THE VARIETY

A7258 is an early Group VII that has excellent emergence and resistance to many races of <u>Phytophthora</u> root rot. The tall plants with dark green foliage show good resistance to stem canker and frogeye leaf spot. Yield potential is greatest on heavy clay soils.

# EXHIBIT E STATEMENT OF THE BASIS of APPLICANT'S OWNERSHIP

A7258 was originated and developed by James G. Shannon, PhD, an Asgrow plant breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.